## CONTENTS - VOLUME XV, 1989

0.1	Comparison of the <i>in vitro</i> and <i>in vivo</i> antibacterial activites of cefepime (BMY-28142) with ceftazi- dime, cefuzonam, cefotaxime and cefmenoxime MASUYOSHI S., HIRAOKA M., INOUE M., TOMATSU K., HIRANO M., MITSUHASHI S
	Rufloxacin (MF-934): In vitro and in vivo antibacterial activity RAVIZZOLA G., PINSI G., PIRALI F., COLOMBRITA D., FORESTI I., PERONI L., TURANO A
	Clinical evaluation of imipenem/cilastatin in the therapy of severe infections in high-risk patients CRISTIANO P.
	Teicoplanin: Part 1. An evaluation of the concentrations seen in serum and the subcutaneous fat of the relatively ischaemic lower limb following a single intravenous bolus ANTRUM R.M., BIBBY S.R., RAMSDEN C.H., KESTER R.C.
	Teicoplanin: Part 2. Evaluation of its use in the billary system ANTRUM R.M., BIBBY S.R., RAMSDEN C.H., KESTER R.C.
	Therapy of serious Gram-positive infections with teicoplanin DAVIES A.J., STONE J.M., SYNOTT M.
	Clinical trial of norfloxacin in the treatment of uncomplicated gonococcal urethritis: Preliminary report CRISTIANO P.
	Pharmacodynamic profile of fenoverine, a novel modulator of smooth muscle motility DE SANTIS D., MARRAZZO R., LOSASSO C., LOFFREDA A., DE PAOLA C., DE NOVELLIS V., MOLINARIO L., SCHIARITI F., MARMO E.
	Rhythm of carnitine levels in serum and urine of normal subjects REBUZZI A.G., SCHIAVONI G., LANZA G.A., AMICO C., NATALE A., LUCENTE M., MANZOLI U.
	Evaluation of the analgesic activity and tolerability of aceclofenac in the treatment of post-episiotomy pain MOVILIA P.G.
. 2	In vivo activity of ciprofloxacin, ofloxacin, norfloxacin and pipemidic acid against Escherichia coli infections in mice OBANA Y., NISHINO T.
	Comparative in vitro activity of ciprofloxacin and other unrelated antimicrobials against bacterial respiratory tract pathogens FELMINGHAM D., ROBBINS M.J., BASKERVILLE A.J., SANGHRAJKA M.D., RIDGWAY G.L., GRÜNEBERG R.N.
	Phagocytosis and killing of A-protein positive Staphylococcus aureus in the presence of low doses of antibiotics  MASCELLINO M.T., DE VITO M.L., MACLEAN FEENEY E., IEGRI F., CATANIA S
	Cefroxadine in the treatment of children affected by respiratory and ENT diseases. A multicentre study involving 1072 in-patients SCAGLIONE F., CATTANEO G., BIANCHI M.M., VERDECCHIA P., MARESCA V., BICHISAO E., FRASCHINI F.
	Objective assessment of cough suppressants under normal and pathological experimental
	CONDITIONS  NOSÁL'OVÁ G., STRAPKOVÁ A., KORPÁŜ J., CRISCUOLO D

	Zinc compounds, a new treatment in peptic ulcer ESCOLAR G., BULBENA O
	Influence of cimetidine in low doses ( <ed<sub>50) on prostanoid production by human gastric mucosa in vitro ANDREONE P., BARALDINI M., MICALETTI E., CURSARO C., SAGGIORO A., DELLA MONICA A.,</ed<sub>
	BORTOLUZZI F., MIGLIO F., GASBARRINI G.
	Metabolic and clinical effects of ipriffavone in established post-menopausal osteoporosis AGNUSDEI D., ZACCHEI F., BIGAZZI S., CEPOLLARO C., NARDI P., MONTAGNANI M., GENNARI C.
No. 3	Dactimicin: A most interesting member of a new class of aminoglycosides BERTELLI A., BERTELLI A.A.E.
	Susceptibility of clinical isolates to dactimicin and gentamicin BERGAN T.
	Antimicrobial activity of dactimicin against aerobic and anaerobic bacteria isolated from intra- abdominal infections NORD C.E., KAGER L.
	Efficacy of dactimicin in the treatment of experimentally induced intra-abdominal infections NORD C.E., LAHNBORG G.
	Microbiological characterization of dactimicin: Antibacterial activity towards Gram-positive and Gram-negative bacteria STEFANI S., DEBBIA E.A., SCHITO G.C., RUSSO G.
	In vitro bactericidal activity and post-antibiotic effect of dactimicin, a new aminoglycoside, alone and in combination with other antibiotics  DEBBIA E.A., SCHITO G.C., STEFANI S., NICOLETTI G.
	Stability of dactimicin to aminoglycoside-modifying enzymes produced by 341 bacterial clinical isolates GÓMEZ-LUS R., GÓMEZ-LUS S., GOÑI M.P., RIVERA M.J., MARTÍN C., RUBIO-CALVO M.C
	In vitro activity of dactimicin and other aminoglycosides against bacteria producing aminoglycoside- modifying enzymes FELMINGHAM D., JONES K.
	Excretion of aminoglycosides in a rat kidney model VIANO I., SILVESTRO L., GIOVANNINI L., BERTELLI A.A.E., TROMBI L., DIANZANI C., FERRO R.
No. 4	The influence of cefepime on opsonophagocytosis of bacteria RAPONI G., KELLER N., ROZENBERG-ARSKA M., HOEPELMAN I.M., VERHOEF J
	Characterization of a plasmid coding for resistance to broad-spectrum cephalosporins in Salmonella typhimurium  GARBARG-CHENON A., VU THIEN H., LABIA R., BEN-YAGHLANE H., GODARD V., DENY P., BRICOUT F., NICOLAS J.C.
	Beta-lactamase evaluation of the amoxycillinen-clavulanate association
	NOVELLA REALIEE FALLANIS PERITIP

	Antagonism of aminoglutethimide and adrenocorticotropic hormone (ACTH) studied on slices of adrenal glands of the guinea-pig BRUNI G., DAL PRA P., SEGRE G.	155
	Evidence of drug interaction between cyclosporin A and H2-receptor antagonists (cimetidine, ranitidine and famotidine) in Sprague-Dawley rats FILINGERI V., GIACOMELLI R., FAMULARO G., ROSATI R., NARDI S., CALOGERO A., IACONA A., STORTONI F., CRAMAROSSA L., SACCHETTI S., CERVELLI V., TONIETTI G., CASCIANI C.U.	159
	Influence of antacids on the bioavailability of glibenclamide ZUCCARO P., PACIFICI R., PICHINI S., AVICO U., FEDERZONI G., PINI LA., STERNIERI E	165
	Effect of maprotiline combined with conventional neuroleptics against negative symptoms of chronic schizophrenia YAMAGAMI S., SOEJIMA K.	171
	Pharmacokinetics of fosfomycin in normal and burn patients. Effect of probenecid POTEL G., MEIGNIER M., BARON D., REYNAUD A., TOUZE M.D. COURTIEU A.L	177
	The TDx assay for cyclosporine and its metabolites in blood samples compared with HPLC and RIA methods  ZUCCHELLI G.C., PILO A., CLERICO A., MASINI S., ZOPPI F., BOVATI M.L., SPAGGIARI P., BERTELLI A.	185
No. 5	Nephrotoxicity of dactimicin, a novel pseudo-disaccharide aminoglycoside possessing the N-formi- midoyl group, compared with that of astromicin, amikacin and other aminoglycoside antibiotics in animals INOUYE S., NIIZATO T., SHOMURA T., KITASATO I	189
	Influence of antibiotics on motility and adherence of human neutrophils studied in vitro VAN DER AUWERA P., HUSSON M.	211
	Photosensitized haemolysis of human erythrocytes is reduced by bendazac  CIANCARELLI-TOZZI M.G., SILVESTRINI B., FINAZZI-AGRO A	219
	Changes in lymphocyte beta-adrenoceptor density after dilevalol oral treatment SBIRRAZZUOLI V., DRICI M., GARRAFFO R., CANDITO M., GIBELIN P., MORAND PH., LAPALUS PH.	223
	Clinical investigation of the effect of ketanserin: A new antihypertensive drug COTO V., OLIVIERO U., COCOZZA M., LUCARIELLO A., PICANO T., COTO F., CACCIATORE L.	231
	Validity of high-dose ranitidine treatment (300 mg b.i.d.) in clinical practice: An open study in 68 con- secutive cases of severe peptic disease GHIDINI O., ADAMO S.	235
Nos. 6/7	Reduction of dibekacin-induced nephrotoxicity in the rat by the formation of Alakylsulfonate deriva- tives	220
	KITASATO I., NIIZATO T., WATANABE T., INOUYE S.	239
	Effect of glucarolactam on low-dose nephrotoxicities of dibekacin and gentamicin in Fischer rats KITASATO 1., NIIZATO T., INOUYE S	249
	Effect of glucarolactam on ototoxicity of aminoglycoside antibiotics in guinea-pigs	261

Comparative nephrotoxicity of ribostamycin and gentamicin in rats evaluated by urinalysis KITASATO I., NIZATO T., INOUYE S.
Therapeutic effect of aspoxicillin on experimental pneumonia with Klebsiella pneumoniae in mice YAMAGUCHI T., ISHII N., TANI K., MATSUSHITA T., MATSUMOTO K
An experimental meningitis with Streptococcus pneumoniae in rats: Therapeutic effect of aspoxicil- lin and its penetration into CSF YAMAGUCHI T., KASUGA O., OKUNO S., MAEZAWA I.
In vitro activity of netilmicin alone and in combination with azlocillin, mezlocillin and imipenem against 149 coagulase-negative staphylococci PICCOLOMINI R., CELLINI L., ALLOCATI N., DI GIROLAMO A., D'ELETTO M.R., D'ANTONIO D., RAVAGNAN G.
Efficacy and safety of cefotetan in the treatment of complicated urinary tract infections: Clinical experience in a selective and single study GESUALDO L., QUARTO M., VIGGIANI N., GERMINARIO C., BARBUTI S., SCHENA F.P.
Cefotetan versus piperaciflin in the prophylaxis of abdominal and vaginal hysterectomy: A prospective randomized study REGALLO M., SCALAMBRINO S., NEGRI L., LANDONI F., MANGIONI C.
Influence of CDP-choline administration on the aortic wall lesions in dietically hypercholesterol- aemic rabbits: A morphometric evaluation WEBER G., AUTERI A., BIANCIARDI G., FABRINI P., RESI L., SALVI M., TOTI P., TANGANELLI P.
A cross-over controlled study on beclobrate versus bezafibrate in the treatment of type IIb hyper-lipoproteinaemia AVOGARO P., BITTOLO BON G., CAZZOLATO G., SOLDAN S., BUFALINO L

FUKUYASU H., ORIKASA Y., KAI F., INOUYE S., KITASATO I., YAMAGUCHI H	335
Antibacterial activity of norfloxacin against 1700 relatively resistant clinical isolates QADRI S.M. HUSSAIN, LEE G., BRODIE L	349
An assay for the detection of interleukin-1 synthesis inhibitors: Effects of antirheumatic drugs RORDORF-ADAM C., LAZDINS J., WOODS-COOK K., ALTERI E., HENN R., GEIGER T., FEIGE U., TOWBIN H., ERARD F.	355
Octylonium bromide interacts competitively with the PAF receptor BARONE D., MAGGI C.A., BAROLDI P., GIACHETTI A., MELI A.	363
Experimental studies on antirheumatic crude drugs used in Saudi traditional medicine AGEEL A.M., MOSSA J.S., AL-YAHYA M.A., AL-SAID M.S., TARIQ M.	369
Pharmacokinetics, endocrine and antitumour effects of leuprolide depot (TAP-144-SR) in advanced prostatic cancer: A dose-response evaluation  MAZZEI T., MINI E., EANDI M., REALI E.F., FIORETTO L., BARTOLETTI R., RIZZO M.,  CALABRO G. PERITI P.	272

No. 9	Antiresorptive dose-response relationships across three generations of bisphosphonates
	SIETSEMA W.K., EBETINO F.H., SALVAGNO A.M., BEVAN J.A.
	Bacteriolytic combination effect of cefminox and piperacillin evaluated by turbidimetry GOI H., INOUYE S., KITASATO I.
	Clindamycin and tetracycline as immunomodulating agents: an in vivo study CORRALES I., SUAREZ A., LIMA A., BALLESTERO S., GÓMEZ-LUS M.L., PRIETO J
	Esaprazole, a new antiulcer agent, stimulates gastric mucus output in the rat LUZZANI F., CLAVENNA G., ZUCCARI G.
	Effect of acetyl-L-carnitine treatment on the density of muscarinic receptors in the brain of methyl- azoxymethanol-microencephalic rats ALBERTINI P., AMENTA F., BOSSONI G., CAVALLOTTI C., FELICI L., FERRANTE F., GAVIRAGHI G.
	Effect of acetyl-L-carnitine treatment on brain ribonucleic acid levels in methylazoxymethanol-micro- encephalic rats ALBERTINI P., AMENTA F., BOSSONI G., BRONZETTI E., CAVALLOTTI C., GAVIRAGHI G
	Neurophysiological studies of L-acetylcarnitine administration in man GAMBI D., ONOFRJ M., CALVANI M., FARICELLI A., DEL RE M.L., BAZZANO S., CUTARELLA R., FULGENTE T., COLANGELO U.
	Efficacy and tolerability of combined topical treatment of acne vulgaris with tretinoin and erythromycin in general practice KORTING H.C., BRAUN-FALCO O.
No. 10	Antimicrobial activity of dactimicin in vitro compared with that of dibekacin, netilmicin, sisomicin and micronomicin INOUYE S., HARA T., MATSUHASHI Y., KITASATO I.
	Comparative antimicrobial activities of ribostamycin, gentamicin, ampicillin and lincomycin in vitro and in vivo INOUYE S., WATANABE T., KITASATO I.
	Beta-lactamase stability and antibacterial activity of cefpirome alone and in combination with other antibiotics  BAKHTIAR M., SELWYN S.
	Susceptibility of Brucella melitensis to fluoroquinolones QADRI S.M. HUSSAIN, AKHTAR M., UENO Y., AL-SIBAI M.B.
	*Mycelial vaginal test* and Candida susceptibility SIMONETTI G., SIMONETTI N., VILLA A.
	Comparative effects of three β-lactam antibiotics on anti-PC direct plaque-forming cells CORRALES I., SUAREZ A., SANZ R., MATO R., GÓMEZ-LUS M.L., PRIETO J.
	Synthesis and antitumour activity of 4-nitroso-4-(2-chloroethyl)semicarbazides GUGOVA R.G., RAIKOV Z.D., ZAKHARIEV S.G., DEMIROV G.D., TODOROV D.K., ILARIONOVA M.V.

Evaluation of ventricular function by echocardiography and radionuclide angiography in patients

treated with mitoxantrone

VILLANI F., GALIMBERTI M., CRIPPA F. ...

501

## Nos. 11/12

The pharmacological profile of CGP 28238, a novel highly potent anti-inflammatory compound WIESENBERG-BOETTCHER I., SCHWEIZER A., GREEN J.R., MUELLER K., MAERKI F., PFEILSCHIFTER J.
Pharmacological evaluation of five novel dexamethasone heneicosoic (21) acid derivatives HONG S.U., PARK K.H., CHAE J.S., LEE J.W., KIM C.S., KIM J.K.
Substituted 3-phenyl-7 <i>H</i> -thiazolo(3,2-b)(1,2,4)triazin-7-ones as antiinflammatory agents with immunomodulating properties BARTLETT R.R., GEBERT U., V. KERÉKJÁRTÓ B., SCHLEYERBACH R., THORWART W., WEITHMANN K.U.
Immunological and anti-inflammatory effects of clarithromycin: Inhibition of interleukin 1 production of murine peritoneal macrophages TAKESHITA K., YAMAGISHI I., HARADA M., OTOMO S., NAKAGAWA T., MIZUSHIMA Y
The kinetics of CAZ-5, a novel SHV-related plasmid-mediated β-lactamase with enhanced hydrolytic activity against ceftazidime LABIA R., THABAUT A., MORAND A., TIWARI K., SIROT D., SIROT J
Pharmacokinetics of dactimicin in rats FRASCHINI F., SCAGLIONE F., NEBULONI R., FALCHI M., BALSAMO V., CATTANEO G
Glycogen medium and antitrichomonal drug activity in vaginal liquids SIMONETTI G., SIMONETTI N., D'AURIA F.D.
Bioassay for teicoplanin in peritoneal dialysis fluid KENNY M.T., DULWORTH J.K., BRACKMAN M.A.
PAF-acether-induced mortality in mice: Protection by benzodiazepines TANNIÉRE-ZELLER M., ROCHETTE L., BRALET J
Percutaneous ibuprofen therapy with Trauma-Dolgit gel: Bioequivalence studies BERNER G., ENGELS B., VÖGTLE-JUNKERT U
Effects of metformin therapy on plasma amino acid pattern in patients with maturity-onset diabetes MARCHETTI P., MASIELLO P., BENZI L., CECCHETTI P., FIERABRACCI V., GIANNARELLI R., GREGORIO F., BRUNETTI P., NAVALESI R.
Angiotensin converting enzyme inhibition, parasympathetic activity and exercise in essential hypertension FARIELLO R., ALICANDRI C., BONI E., ZANINELLI A., CANTALAMESSA A., CORDA L., MUIESAN G.
A double-blind comparative study of ketanserin with atenciol in essential hypertension ANTONICELLI R., ANDREONI A., SACCOMANNO G., GAMBINI C., PACIARONI E
Orally dissolved ketanserin in acute treatment of hypertensive patients: A controlled study DI VEROLI C., PASTORELLI R.
Long-term antihypertensive efficacy of ketanserin plus chlorthalidone FASANO M.L., SORO S., FERRARA L.A.
ACE inhibitors: Antihypertensive treatment and renal function CAMPANACCI L., BELLINI G., COSENZI A., FRANCA G., PIEMONTESI A
Contents index (1989)
Author index (1989)

